



60Hz 550kVA Perkins Standby Diesel Generator 2506C-E15TAG1 Engine

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-PERKINS
- Certification: CE ISO
- Model Number: DE-P550
- Minimum Order Quantity: 1PC
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: Perkins Standby Diesel Generator
- Brand: Perkins
- Cooling System: Water Cooling
- Frequency: 60HZ
- Alternator: Alternator
- Phase: Three Phase
- Type: Diesel Generator
- Controller: Smartgen
- Prime Power: 400kW/500kVA
- Standby Power: 440kW/550kVA
- Engine Model: 2506C-E15TAG1
- Highlight: **60Hz Perkins Standby Diesel Generator ,
550kVA Perkins Standby Diesel Generator ,
2506C-E15TAG1**

for more products please visit us on dellentpower.com

Product Description

High **Commercial Perkins 550kVA Generator , 2506C-E15TAG1 Engine Diesel Generator ,**
Light: **CE Perkins 550kva Generator ,60HZ**

. PRODUCT DESCRIPTION

Perkins Diesel Generator with 2506C-E15TAG1 Engine model 60Hz 550kVA Standby

Product Introduce:

- 1.Each generator will be packed in both strong and economic way to make sure goods perfectly on delivery.
- 2.Manufactured strictly according to ISO9001 international quality management system.
- 3.Set mounted automatic control panel, with Stamford controller brand for automatic start & stop.



Product parameters: Specification:

Model		DE-P550
Standby Power	kVA	550
	kW	440
Prime Power	kVA	500
	kW	400
Frequency	Hz	60
Output Voltage	V	240
Oil Consumption	L/H	0.315303768

Specification of Perkins Diesel Engine:

Engine Model		2506C-E15TAG1
No.of Cylinder		6 Cylinder in line
Bore	mm	137
Stroke	mm	171
Displacement	L	15
Cooling Fan Air Flow	m ³ /min	564
Compress Air Flow	m ³ /min	33
Exhaust Gas Flow	m ³ /min	85
Exhaust Gas Temperature		540
Lubrication Oil Capacity	L	53
Cooling Water Capacity	L	58
Starting Voltage	V	24
Engine Max.Output Power	kW	432

Specification of Alternator:

Alternator Brand		Stamford
Rate Output	kVA	500
Frequency	Hz	60
Altitude	M	≤1000
Insulation		Class H
Protection Grade		IP23
Alternator for choice	We also have Leroy Somer, Marathon, Mecc Alte and Chinese brand Brushless alternator for your choice.	
Controller	Deepsea Brand Model DSE7320	
Function of control panel	Automatic genset start/stop	
	Automatic battery charger	
	Emergency stop	
	AMF (Automatic Mains Fault)	
	Remote control	
	Micro-processor based design	
	LED alarm indication and Sound alarm	

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



. FACTORY INTERIOR:



Fuan Dellent Electric & Machinery Co., Ltd.

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA