



Industrial 200kW Deutz Diesel Engine Generator Set Water Cooled

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-DD275
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: Deutz Diesel Engine Generator Set
- Engine Brand: Deutz
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **200kW Deutz Diesel Engine Generator, Deutz Diesel Engine Generator Set, 200 Kw Industrial Generator**

for more products please visit us on dellentpower.com

CE Deutz Diesel Generator about 200kW.

Looking for reliable Deutz generators for your power needs? Look no further than our Deutz generator dealership! We are proud to offer a wide range of high-quality Deutz gensets that are perfect for both residential and commercial use.

Our Deutz generators are known for their superior performance, durability, and efficiency, making them the perfect choice for anyone who needs reliable and uninterrupted power. Whether you need a backup power source for your home or office or you need a reliable generator for your industrial or construction site, we have the perfect Doosan generator for you.

. PRODUCT

50 Hz		60 Hz		TECHNICAL DATA										DEUTZ WATER-COOLED Series Diesel Generator Sets									
Genset Performance						Engine Performance						Dimensions(L*W*H)											
Genset Model		Prime Power		Standby Power		Engine model		Speed	Prime power	Fuel Cons. (100% Load)	Cylinder Bore*Stroke	Displacement	Open Type	Skirt Type									
		kW	kVA	kW	kVA			rpm	kW	L/h	Qty./mm	L	mm	mm									
50Hz	DE-DD22	16	20	17.6	22	BFM3 G1		1500	20	4.9	4L-98*105	3.168	150*74*108	220*90*120									
	DE-DD33	24	30	26.4	33	BFM3 G2		1500	29	7.7	4L-98*105	3.168	150*74*108	220*90*120									
	DE-DD44	32	40	35.2	44	BFM3T		1500	40	9.3	4L-98*105	3.168	160*74*108	225*90*120									
	DE-DD55	40	50	44	55	BFM3C		1500	45	11.2	4L-98*105	3.168	160*74*120	230*102*125									
	DE-DD66	48	60	52.8	66	BFM2012		1500	54	12.5	4L-101*126	4.04	181*90*128	250*102*130									
	DE-DD80	58	72.5	64	80	BFM2012C G1		1500	71	15.2	4L-101*126	4.04	181*90*128	250*102*130									
	DE-DD103	75	93	82.5	103	BFM2012C G2		1500	85	19.9	4L-101*126	4.04	185*90*128	250*102*130									
	DE-DD110	80	100	88	110	BFM2012C G2		1500	85	21.3	4L-101*126	4.04	185*90*128	250*102*130									
	DE-DD121	88	110	96.8	121	BFM1013EC G1		1500	97	24.2	4L-108*130	4.76	192*100*140	265*108*152									
	DE-DD150	108	135	120	150	BFM1013EC G1		1500	117	28.9	4L-108*130	4.76	203*100*140	265*108*152									
	DE-DD175	128	160	140	175	BFM1013EC G1		1500	146	33.6	6L-108*130	7.15	249*100*140	330*110*185									
	DE-DD182	132	165	145.2	181.5	BFM1013EC G1		1500	146	35.8	6L-108*130	7.15	254*100*140	340*110*185									
	DE-DD200	144	180	160	200	BFM1013EC G2		1500	160	39.2	6L-108*130	7.15	254*100*140	340*110*185									
	DE-DD220	160	200	176	220	BFM1013FCG3		1500	183	45.6	6L-108*130	7.15	258*100*140	340*115*175									
	DE-HD250	180	225	200	250	BFM1015-LAG1A		1500	208	47.5	6V-132*145	11.906	266*141*215	435*170*223									
	DE-HD275	200	250	220	275	BFM1015C-LAG1A		1500	228	52.3	6V-132*145	11.906	266*141*215	435*170*223									
	DE-HD316	230	287.5	253	316	BFM1015C-LAG3A		1500	256	57.6	6V-132*145	11.906	276*141*215	435*170*223									
	DE-HD350	250	312.5	280	350	BFM1015C-LAG3A		1500	282	68	6V-132*145	11.906	276*141*215	435*170*223									
	DE-HD385	280	350	308	385	BFM1015C-LAG4		1500	310	74.8	6V-132*145	11.906	283*141*215	435*170*223									
	DE-HD412	300	375	330	412.5	BFM1015CP-LAG		1500	328	80.3	6V-132*145	11.906	283*141*215	435*170*223									
60Hz	DE-HD500	360	450	400	500	BFM1015C-LAG2		1500	403	95.8	8V-132*145	15.874	315*156*215	460*180*223									
	DE-HD550	400	500	440	550	BFM1015CP-LAG2		1500	448	106	8V-132*145	15.874	315*156*215	460*180*223									
	DE-HD600	432	540	480	600	BFM1015CP-LAG4		1500	480	115	8V-132*145	15.874	315*156*215	460*180*223									
	DE-HD750	540	675	600	750	HC12V132ZL-LAG1A		1500	600	139.1	12V-132*145	23.812	372*180*235	590*200*253									
	DE-HD825	600	750	660	825	HC12V132ZL-LAG3A		1500	666	154.4	12V-132*145	23.812	372*180*235	590*200*253									
	DE-DD30	22	27.5	24	30	BFM3-G1		1800	25	6.6	4L-98*105	3.168	150*74*108	220*90*120									
	DE-DD41	30	37.5	33	41	BFM3-G2		1800	34	9	4L-98*105	3.168	150*74*108	220*90*120									
	DE-DD55	40	50	44	55	BFM3T		1800	45	11.4	4L-98*105	3.168	160*74*108	225*90*120									
	DE-DD69	50	62.5	55	69	BFM3C		1800	55	13.8	4L-98*105	3.168	160*74*108	230*102*120									
	DE-DD75	54	67.5	60	75	BFM2012		1800	63	15.6	4L-101*126	4.04	181*90*128	250*102*130									
	DE-DD93	68	85	74.8	93.5	BFM2012C-G1		1800	79	21.9	4L-101*126	4.04	185*90*128	250*102*130									
	DE-DD110	80	100	88	110	BFM1012C-G2		1800	96	23.1	4L-101*126	4.04	185*90*128	250*102*130									
	DE-DD120	86	107.5	96	120	BFM1012C-G2		1800	96	24.4	4L-101*126	4.04	185*90*128	250*102*130									
	DE-DD138	100	125	110	137.5	BFM1013EC-G2		1800	115	29.1	4L-108*130	4.76	195*100*140	265*108*152									
	DE-DD175	128	160	140	175	BFM1013EC-G1		1800	155	35.8	6L-108*130	7.15	249*100*140	330*110*185									
	DE-DD220	160	200	176	220	BFM1013EC-G2		1800	181	45.8	6L-108*130	7.15	254*100*140	340*110*185									
	DE-HD250	180	225	200	250	BFM1013FCG3		1800	204	53	6L-108*130	7.15	254*100*140	340*110*185									
	DE-HD275	200	250	220	275	BFM1015-LAGB		1800	225	53.8	6V-132*145	11.906	266*141*215	435*170*223									
	DE-HD300	220	275	240	300	BFM1015C-LAG1B		1800	244	58.9	6V-132*145	11.906	266*141*215	435*170*223									
	DE-HD350	250	312.5	280	350	BFM1015C-LAG2B		1800	279	67.3	6V-132*145	11.906	276*141*215	435*170*223									
	DE-HD385	280	350	308	385	BFM1015C-LAG3B		1800	306	73.8	6V-132*145	11.906	276*141*215	435*170*223									
	DE-HD440	320	400	352	440	BFM1015CP-LAG2B		1800	351	85.9	6V-132*145	11.906	283*141*215	435*170*223									
	DE-HD500	360	450	400	500	BFM1015C-LAG1B		1800	408	99.8	8V-132*145	15.874	315*156*215	460*180*223									
	DE-HD525	380	475	420	525	BFM1015CP-LAG1B		1800	429	105	8V-132*145	15.874	315*156*215	460*180*223									
	DE-HD578	420	525	462	577.5	BFM1015CP-LAG2B		1800	470	115	8V-132*145	15.874	315*156*215	460*180*223									
	DE-HD625	450	562.5	500	625	BFM1015CP-LAG3B		1800	500	122.4	8V-132*145	15.874	315*156*215	460*180*223									
	DE-HD750	540	675	600	750	HC12V132ZL-LAG1B		1800	600	139.1	12V-132*145	23.812	372*180*235	590*200*253									
	DE-HD825	600	750	660	825	HC12V132ZL-LAG2B		1800	666	154.4	12V-132*145	23.812	372*180*235	590*200*253									

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



FAQ

Q: What's your delivery time?

A: Standard product 20 days - 30 days.

Q: Can we add our logo to products?

A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

Q: Can we customize the product?

A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDECITY,FUJIAN.CHINA