



600 Kw Cummins 3 Phase Diesel Generator 50HZ 60HZ With Water Cooling System

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-Cummins
- Certification: CE/ISO9001
- Model Number: DE-CC825
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: Cummins 3 Phase Diesel Generator
- Engine Brand: Cummins
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **Cummins 3 Phase Diesel Generator 50HZ,
CE Cummins 3 Phase Diesel Generator,
600 Kw Cummins Generator**

for more products please visit us on dellentpower.com

CE Cummins Diesel Generator about 600kW.

As an authorized Cummins generator dealer, we offer a wide range of models to suit any power needs and budget. From compact and portable generators to heavy-duty industrial generators, we have the expertise and resources to help you find the perfect generator for your needs.

At our Cummins generator dealership, we understand the importance of quality and reliability when it comes to power generation. That's why we only offer the best generators from Cummins , a leading manufacturer of power equipment.

. PRODUCT

59 60 TECHNICAL DATA

CUMMINS DCEC Series Diesel Generator Sets

Model		Prime Power		Continuous Power		Generator Power		Voltage		Frequency	
Model	Power (kW)	Power (kVA)	Engine (kW)	Engine (kVA)	Generator (kW)	Generator (kVA)	Efficiency (%)	Speed (rpm)	Frequency (Hz)	Voltage (V)	Phase
59-C230	230	270	230	270	230	270	95.0	1800	50	400	3
59-C235	235	275	235	275	235	275	95.0	1800	50	400	3
59-C240	240	280	240	280	240	280	95.0	1800	50	400	3
59-C245	245	285	245	285	245	285	95.0	1800	50	400	3
59-C250	250	290	250	290	250	290	95.0	1800	50	400	3
59-C255	255	295	255	295	255	295	95.0	1800	50	400	3
59-C260	260	300	260	300	260	300	95.0	1800	50	400	3
59-C265	265	305	265	305	265	305	95.0	1800	50	400	3
59-C270	270	310	270	310	270	310	95.0	1800	50	400	3
59-C275	275	315	275	315	275	315	95.0	1800	50	400	3
59-C280	280	320	280	320	280	320	95.0	1800	50	400	3
59-C285	285	325	285	325	285	325	95.0	1800	50	400	3
59-C290	290	330	290	330	290	330	95.0	1800	50	400	3
59-C295	295	335	295	335	295	335	95.0	1800	50	400	3
59-C300	300	340	300	340	300	340	95.0	1800	50	400	3
59-C305	305	345	305	345	305	345	95.0	1800	50	400	3
59-C310	310	350	310	350	310	350	95.0	1800	50	400	3
59-C315	315	355	315	355	315	355	95.0	1800	50	400	3
59-C320	320	360	320	360	320	360	95.0	1800	50	400	3
59-C325	325	365	325	365	325	365	95.0	1800	50	400	3
59-C330	330	370	330	370	330	370	95.0	1800	50	400	3
59-C335	335	375	335	375	335	375	95.0	1800	50	400	3
59-C340	340	380	340	380	340	380	95.0	1800	50	400	3
59-C345	345	385	345	385	345	385	95.0	1800	50	400	3
59-C350	350	390	350	390	350	390	95.0	1800	50	400	3
59-C355	355	395	355	395	355	395	95.0	1800	50	400	3
59-C360	360	400	360	400	360	400	95.0	1800	50	400	3
59-C365	365	405	365	405	365	405	95.0	1800	50	400	3
59-C370	370	410	370	410	370	410	95.0	1800	50	400	3
59-C375	375	415	375	415	375	415	95.0	1800	50	400	3
59-C380	380	420	380	420	380	420	95.0	1800	50	400	3
59-C385	385	425	385	425	385	425	95.0	1800	50	400	3
59-C390	390	430	390	430	390	430	95.0	1800	50	400	3
59-C395	395	435	395	435	395	435	95.0	1800	50	400	3
59-C400	400	440	400	440	400	440	95.0	1800	50	400	3
59-C405	405	445	405	445	405	445	95.0	1800	50	400	3
59-C410	410	450	410	450	410	450	95.0	1800	50	400	3
59-C415	415	455	415	455	415	455	95.0	1800	50	400	3
59-C420	420	460	420	460	420	460	95.0	1800	50	400	3
59-C425	425	465	425	465	425	465	95.0	1800	50	400	3
59-C430	430	470	430	470	430	470	95.0	1800	50	400	3
59-C435	435	475	435	475	435	475	95.0	1800	50	400	3
59-C440	440	480	440	480	440	480	95.0	1800	50	400	3
59-C445	445	485	445	485	445	485	95.0	1800	50	400	3
59-C450	450	490	450	490	450	490	95.0	1800	50	400	3
59-C455	455	495	455	495	455	495	95.0	1800	50	400	3
59-C460	460	500	460	500	460	500	95.0	1800	50	400	3
59-C465	465	505	465	505	465	505	95.0	1800	50	400	3
59-C470	470	510	470	510	470	510	95.0	1800	50	400	3
59-C475	475	515	475	515	475	515	95.0	1800	50	400	3
59-C480	480	520	480	520	480	520	95.0	1800	50	400	3
59-C485	485	525	485	525	485	525	95.0	1800	50	400	3
59-C490	490	530	490	530	490	530	95.0	1800	50	400	3
59-C495	495	535	495	535	495	535	95.0	1800	50	400	3
59-C500	500	540	500	540	500	540	95.0	1800	50	400	3
59-C505	505	545	505	545	505	545	95.0	1800	50	400	3
59-C510	510	550	510	550	510	550	95.0	1800	50	400	3
59-C515	515	555	515	555	515	555	95.0	1800	50	400	3
59-C520	520	560	520	560	520	560	95.0	1800	50	400	3
59-C525	525	565	525	565	525	565	95.0	1800	50	400	3
59-C530	530	570	530	570	530	570	95.0	1800	50	400	3
59-C535	535	575	535	575	535	575	95.0	1800	50	400	3
59-C540	540	580	540	580	540	580	95.0	1800	50	400	3
59-C545	545	585	545	585	545	585	95.0	1800	50	400	3
59-C550	550	590	550	590	550	590	95.0	1800	50	400	3
59-C555	555	595	555	595	555	595	95.0	1800	50	400	3
59-C560	560	600	560	600	560	600	95.0	1800	50	400	3
59-C565	565	605	565	605	565	605	95.0	1800	50	400	3
59-C570	570	610	570	610	570	610	95.0	1800	50	400	3
59-C575	575	615	575	615	575	615	95.0	1800	50	400	3
59-C580	580	620	580	620	580	620	95.0	1800	50	400	3
59-C585	585	625	585	625	585	625	95.0	1800	50	400	3
59-C590	590	630	590	630	590	630	95.0	1800	50	400	3
59-C595	595	635	595	635	595	635	95.0	1800	50	400	3
59-C600	600	640	600	640	600	640	95.0	1800	50	400	3
59-C605	605	645	605	645	605	645	95.0	1800	50	400	3
59-C610	610	650	610	650	610	650	95.0	1800	50	400	3
59-C615	615	655	615	655	615	655	95.0	1800	50	400	3
59-C620	620	660	620	660	620	660	95.0	1800	50	400	3
59-C625	625	665	625	665	625	665	95.0	1800	50	400	3
59-C630	630	670	630	670	630	670	95.0	1800	50	400	3
59-C635	635	675	635	675	635	675	95.0	1800	50	400	3
59-C640	640	680	640	680	640	680	95.0	1800	50	400	3
59-C645	645	685	645	685	645	685	95.0	1800	50	400	3
59-C650	650	690	650	690	650	690	95.0	1800	50	400	3
59-C655	655	695	655	695	655	695	95.0	1800	50	400	3
59-C660	660	700	660	700	660	700	95.0	1800	50	400	3
59-C665	665	705	665	705	665	705	95.0	1800	50	400	3
59-C670	670	710	670	710	670	710	95.0	1800	50	400	3
59-C675	675	715	675	715	675	715	95.0	1800	50	400	3
59-C680	680	720	680	720	680	720	95.0	1800	50	400	3
59-C685	685	725	685	725	685	725	95.0	1800	50	400	3
59-C690	690	730	690	730	690	730	95.0	1800	50	400	3
59-C695	695	735	695	735	695	735	95.0	1800	50	400	3
59-C700	700	740	700	740	700	740	95.0	1800	50	400	3
59-C705	705	745	705	745	705	745	95.0	1800	50	400	3
59-C710	710	750	710	750	710	750	95.0	1800	50	400	3
59-C715	715	755	715	755	715	755	95.0	1800	50	400	3
59-C720	720	760	720	760	720	760	95.0	1800	50	400	3
59-C725	725	765	725	765	725	765	95.0	1800	50	400	3
59-C730	730	770	730	770	730	770	95.0	1800	50	400	3
59-C735	735	775	735	775	735	775	95.0	1800	50	400	3
59-C740	740	780	740	780	740	780	95.0	1800	50	400	3
59-C745	745	785	745	785	745	785	95.0	1800	50	400	3
59-C750	750	790	750	790	750	790	95.0	1800	50	400	3
59-C755	755	795	755	795	755	795	95.0	1800	50	400	3
59-C760	760	800	760	800	760	800	95.0	1800	50	400	3
59-C765	765	805	765	805	765	805	95.0	1800	50	400	3
59-C770	770	810	770	810	770	810	95.0	1800	50	400	3
59-C775	775	815	775	815	775	815	95.0	1800	50	400	3
59-C780	780	820	780	820	780	820	95.0	1800	50	400	3
59-C785	785	825									



. FACTORY INTERIOR:



Fuan Dellent Electric & Machinery Co., Ltd.

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA